

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations  
Revision Date: 11/2/2021 Date of Issue: 11/2/2021

Version: 1.0

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

**Product Code:** 68195, 68395

\*This document is intended to be used for safety in the workplace only, and is not a consumer document.

### 1.2. Intended Use of the Product

Home Fragrance

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Trapp Fragrances

1025 W. 8th St.

Kansas City, Missouri 64101

T: 1-800-670-4212

[www.trappfragrances.com](http://www.trappfragrances.com)

### 1.4. Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US Classification

Skin Irrit. 2 H315

Skin Sens. 1 H317

Aquatic Acute 2 H401

Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Warning

#### Hazard Statements (GHS-US)

: H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H401 - Toxic to aquatic life.  
H411 - Toxic to aquatic life with long lasting effects.

#### Precautionary Statements (GHS-US)

: P261 - Avoid breathing dust, fume.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	% *
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	(CAS No) 54464-57-2	1.6 – 4
1,4-Dioxacycloheptadecane-5,17-dione	(CAS No) 105-95-3	1.6 – 4
Octanal, 2-(phenylmethylene)-	(CAS No) 101-86-0	0.4 – 1.6
Linalyl acetate	(CAS No) 115-95-7	0.4 – 1.6
Coumarin	(CAS No) 91-64-5	0.16 – 0.4
Bergamot oil	(CAS No) 89957-91-5	0.16 – 0.4
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-	(CAS No) 127-51-5	0.16 – 0.4
Vanillin	(CAS No) 121-33-5	0.016 – 0.4
Linalool	(CAS No) 78-70-6	0.16 – 1.6
Oils, clove	(CAS No) 8000-34-8	0.16 – 0.4
2-isobutyl-4-hydroxy-4-methyltetrahydropyran	(CAS No) 63500-71-0	0.016 – 0.16
Fir balsam, Canada	(CAS No) 8021-28-1	0.016 – 0.16
Cardamom oil	(CAS No) 8000-66-6	0.016 – 0.16
Cinnamaldehyde	(CAS No) 104-55-2	0.016 – 0.16
Clary sage oil	(CAS-No.) 8016-63-5	0.016 – 0.16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. In molten form: Cool skin rapidly with cold water after contact with molten product. Removal of solidified molten material from skin requires medical assistance.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention. In molten form: Removal of solidified molten material from the eyes requires medical assistance.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Causes skin irritation. Skin sensitization.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction. Contact with hot wax may cause thermal burns.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes. Contact with hot wax may cause thermal burns.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>), dry chemical powder.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but will burn at high temperatures.

**Explosion Hazard:** Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Remove containers from fire area if this can be done without risk. Avoid raising dust. Do not breathe fumes from fires or vapors from decomposition. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Ketones. Aldehydes. Organic compounds. Irritating fumes.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses. Do not add water to molten material as this may cause spattering.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe dust.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Where possible allow molten material to solidify naturally.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Cool molten material to limit spreading. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Avoid generation of dust during clean-up of spills. For particulates and dust: Use only non-sparking tools. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Risk of thermal burns on contact with molten product. Contains substances that are combustible dusts. If dried and allowed to accumulate, may form combustible dust concentrations in air that could ignite and cause an explosion. Take appropriate precautions.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe dust. Avoid contact with skin, eyes and clothing. Use appropriate personal protective equipment (PPE). Avoid creating or spreading dust.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Materials reactive with hydroxyl compounds. When molten: water.

## 7.3. Specific End Use(s)

Home Fragrance

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Vanillin (121-33-5)		
USA AIHA	WEEL TWA (ppm)	10 mg/m <sup>3</sup>

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Avoid creating or spreading dust.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Thermal Hazard Protection:** When working with hot material, use suitable thermally protective clothing.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Not available
Odor	: Not available
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: Not available
Solubility	: Not available

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Partition Coefficient: N-Octanol/Water** : Not available

**Viscosity** : Not available

### SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Avoid creating or spreading dust.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Materials reactive with hydroxyl compounds. When molten: water.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

Octanal, 2-(phenylmethylene)- (101-86-0)	
LD50 Oral Rat	3100 mg/kg
LD50 Dermal Rabbit	> 3000 mg/kg
LC50 Inhalation Rat	> 5 mg/l/4h
Linalyl Acetate (115-95-7)	
LD50 Oral Rat	14550 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Coumarin (91-64-5)	
LD50 Oral Rat	293 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
ATE US/CA (dermal)	300.00 mg/kg body weight
ATE US/CA (dust, mist)	0.50 mg/l/4h
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (127-51-5)	
LD50 Oral Rat	>5000 mg/kg
LD50 Dermal Rabbit	>5000 mg/kg
Vanillin (121-33-5)	
LD50 Oral Rat	1580 mg/kg
LD50 Dermal Rabbit	> 5010 mg/kg
Linalool (78-70-6)	
LD50 Oral Rat	2790 mg/kg
Oils, clove (8000-34-8)	
LD50 Oral Rat	1370 mg/kg
LD50 Dermal Rabbit	1200 mg/kg
Cinnamaldehyde (104-55-2)	
LD50 Oral Rat	2220 mg/kg
LD50 Dermal Rabbit	1260 mg/kg

**Skin Corrosion/Irritation:** Causes skin irritation.

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

Coumarin (91-64-5)	
IARC Group	3

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
------------------------------------------	------------------------------

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction. Contact with hot wax may cause thermal burns.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes. Contact with hot wax may cause thermal burns.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General:** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

<b>Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthalenyl)- (54464-57-2)</b>	
LC50 Fish 1	1.3 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [Semi-static])
EC50 Daphnia 1	1.38 (Exposure time: 48 h - Species: Daphnia magna [Semi-static])
ErC50 (Algae)	2.6 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus [Static])
<b>Linalyl Acetate (115-95-7)</b>	
EC50 Daphnia 1	6 mg/l
<b>Coumarin (91-64-5)</b>	
EC50 Daphnia 1	13.5 mg/l
<b>Vanillin (121-33-5)</b>	
LC50 Fish 1	53 - 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (Acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
NOEC Chronic Crustacea	5.9 mg/l
<b>Linalool (78-70-6)</b>	
LC50 Fish 1	27.8 mg/l
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
NOEC Chronic Algae	5.6 mg/l
<b>Cinnamaldehyde (104-55-2)</b>	
EC50 Daphnia 1	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna [Semi-static])
ErC50 (Algae)	4.07 - 6.87 mg/l (Exposure time: 72 h - Species: Selenastrum capricornutum)

### 12.2. Persistence and Degradability

<b>#95 Glowing Embers Wax-based Products (Poured Candles, Melts)</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative Potential

<b>#95 Glowing Embers Wax-based Products (Poured Candles, Melts)</b>	
Bioaccumulative Potential	Not established.
<b>Vanillin (121-33-5)</b>	
Log Pow	1.23 (at 22 °C)
<b>Linalool (78-70-6)</b>	
Log Pow	2.84 - 3.1 (at 25 °C)
<b>Cinnamaldehyde (104-55-2)</b>	
Log Pow	2.22 (at 18 °C)

**12.4. Mobility in Soil** Not available

### 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

#### #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

#### Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthalenyl)- (54464-57-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 1,4-Dioxacycloheptadecane-5,17-dione (105-95-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Octanal, 2-(phenylmethylene)- (101-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Linalyl Acetate (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Coumarin (91-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Bergamot oil (89957-91-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (127-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Vanillin (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Linalool (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Oils, clove (8000-34-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 2-isobutyl-4-hydroxy-4-methyltetrahydropyran (63500-71-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Fir balsam, Canada (8021-28-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Cardamom oil (8000-66-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Cinnamaldehyde (104-55-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Clary sage oil (8016-63-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# #95 Glowing Embers Wax-based Products (Poured Candles, Melts)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## 15.2. US State Regulations

This product does not appear on any US State Regulatory lists at reportable levels.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 11/2/2021

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)