SAFETY DATA SHEET

Trapp Reed Diffuser (#14 Mediterranean Fig)

revised date: 07/10/2024

Regulation OSHA HCS 2012, 29 CFR 1910.120

SECTION I - PRODUCT AND COMPANY INFORMATION

Product: 74614, 74714 Trapp Reed Diffuser

(#14 Mediterranean Fig)

Relevant identified uses of the substance or mixture

and uses advised against: Home Fragrance Reed Diffuser

Company:

Trapp Fragrances 1025 W. 8th Street Kansas City MO 64101 800-670-4212 www.trappfragrances.com

Emergency telephone number: 800-424-9300 (CHEMTREC)

SECTION II - HAZARDS IDENTIFICATION

EDI2 Serious eye damage / eye irritation 2

FL4 Flammable Liquids 4 SS1 Sensitisation skin 1

H227 - Combustible liquid

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to an approved waste disposal plant



SECTION III - INGREDIENT AND HAZARD INFORMATION

Regulation OSHA HCS 2012, 29 CFR 1910.120

Material	C.A.S	EINECS	GHS Classification	Percent %
DOWANOL DPMA	88917-22-0		FL4	[60-62]
3-METHOXY-3-METHYL-1-BUTANOL	56539-66-3		ATO5, EDI2A, FL4, SCI3 ; H227, H319	[12-14]
ISOPAR M	64742-47-8		AH1, EHA2, EHC2, STO-SE3-NE ; H304, H336	[6-8]
PHENYL ETHYL ALCOHOL	60-12-8		ATD5, ATO4, EDI2, SCI3 ; H302, H319	[2-4]
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRA METHYL-2-NAPHTHYL)ETHAN-1-ONE	54464-57-2		EHA2, EHC1, SCI2, SS1B; H315, H317	[2-4]
KEPHALIS	36306-87-3		EHA2, EHC2, SCI2 ; H315	[0-2]
HEXYL CINNAMAL	101-86-0		ATO5, EHA1, EHC2, SCI3, SS1B ; H317	[0-2]
ALPHA ISO METHYL IONONE	127-51-5		EDI2, EHA2, EHC2, SCI2, SS1 ; H227, H315, H317, H319	[0-2]
VERDOX	88-41-5		ATO5, EHA2, EHC2, FL4, SCI3 ; H227	[0-2]
CITRONELLOL	106-22-9		ATD5, ATO5, EDI2, EHA2, SCI2, SS1B ; H315, H317, H319	[0-2]
LINALOOL	78-70-6		ATO5, EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315, H317, H319	[0-2]
FLORALOZONE	67634-15-5		EHA1, EHC2, SCI2, SS1B ; H315, H317	[0-2]
1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en- 3-one	7779-30-8		EHA2, EHC2, SCI2, SS1B; H315, H317	[0-2]
COUMARIN	91-64-5		ATO4, EHA3, SS1B ; H301, H302, H317	[0-2]
ALDEHYDE C-16	77-83-8		EHA2, EHC2, SS1B ; H317	[0-2]
CYCLAMEN ALDEHYDE	103-95-7		ATO5, EHA2, EHC3, FL4, SCI2, SS1B; H227, H315, H317	[0-2]
EUGENOL	97-53-0		ATO5, EDI2, EHA2, SCI3, SS1B; H317, H319	[0-2]
HIVERNAL NEO	300371-33-9		EHA2, EHC2, FL4, SS1B; H227, H317	[0-2]
CITRAL	5392-40-5		EDI2, EHA2, SCI2, SS1 ; H315, H317, H319	[0-2]

SECTION IV - FIRST AID MEASURES

INHALATION

In case of excessive inhalation, remove the person to fresh air.

Obtain medical advice immediately.

EYE CONTACT

Flush immediately with water for at least 15 minutes.

If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.

SKIN CONTACT

Remove contaminated clothing.

Wash affected area thoroughly with soap and water.

Get medical attention if irritation develops or persists.

INGESTION

Rinse mouth with water. Give up to ½ liter of milk or water to drink.

Do not induce vomiting.

Obtain medical advice immediately.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

() Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

Regulation OSHA HCS 2012, 29 CFR 1910.120

FIRE FIGHTING INSTRUCTIONS

Spray extinguishing media directly into base of flames.

Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .

Exercise caution when fighting any chemical fire.

Treat as chemical fire, emits toxic fumes under fire condition.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL & LEAK PROCEDURES

Remove all sources of ignition. Provide proper ventilation.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

Wash area with soap and water.

SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.

Avoid skin contact.

Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

STORAGE

Keep containers tight and upright to prevent leakage.

Keep containers closed when not in use.

Do Not Store Over 140°F (60°C).

Keep from freezing. If frozen when received allow to reach room temperature and mix well before using:

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use local exhaust ventilation meeting ACGIH design criteria.

PERSONAL PROTECTIVE EQUIPMENT

Oil or chemical resistant gloves. Splash-resistant safety glasses.

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	NIOSH Exposure Limits
CITRAL 95 5392-40-5		5 ppm TWA (inhalable fraction and vapor)	
ISO-AMYL ACETATE 123-92-2	100 ppm TWA; 525 mg/m3 TWA	100 ppm STEL (listed under Pentyl acetate, all isomers) 50 ppm TWA (listed under Pentyl acetate, all isomers)	100 ppm TWA; 525 mg/m3 TWA
BENZYL ACETATE 140-11-4		10 ppm TWA	

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Color: Colorless Odor: Characteristic

Regulation OSHA HCS 2012, 29 CFR 1910.120

Physical State: Liquid Vapor Density: Not Available

Vapor pressure: 0.144 mmHg @20°C

VOC: 13.379999 % (CARB Method 310)

Evaporation Rate: Not Available

Crystals (w/w%): 0.5 Specific Gravity @25°C:

Refractive Index @25°C: Not available

Flash point (°C): 81 Flash point (°F): 178

SECTION X - STABILITY AND REACTIVITY

This product is stable in most media.

CONDITIONS TO AVOID

Avoid heat, sparks and flame. Avoid strong oxidizing agents.

Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate

LD50 Oral : 4907 mg/kg 5 % unknown LD50 Dermal : 2708 mg/kg 5 % unknown LD50 Inhalation : 8 mg/kg 6 % unknown

Routes of Entry:

Ingestion: May be harmful if swallowed Skin Contact: May cause skin irritation Eye Contact: May cause eye irritation

Inhalation: May cause respiratory tract irritation

Target Organs:

None

SECTION XII - ECOLOGICAL INFORMATION

Prevent contamination of soil, ground and surface water. No ecological studies have been carried out on this product.

SECTION XIII - DISPOSAL CONSIDERATIONS

Regulation OSHA HCS 2012, 29 CFR 1910.120

Dispose of in accordance with State, Local and Federal Regulations.

SECTION XIV - TRANSPORT INFORMATION

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT	Not regulated			
IATA	Not regulated			
IMDG	Not regulated			

SECTION XV - REGULATORY INFORMATION

TSCA: We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

SARA 313: This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

88917-22-0 DOWANOL DPMA 60.75 % 1222-05-5 GALAXOLIDE 100% PURE 0.25 % 111-90-0 DIETHYLENE GLYCOL MONOETHYL 0.0124 %

SECTION XVI - OTHER INFORMATION

The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.