

# SAFETY DATA SHEET

## Trapp Reed Diffuser (#76 Watermint Eucalyptus)

revised date: 07/10/2024

Regulation OSHA HCS 2012, 29 CFR 1910.120

### SECTION I - PRODUCT AND COMPANY INFORMATION

**Product:** 74676, 74776 Trapp Reed Diffuser  
(#76 Watermint Eucalyptus)

**Relevant identified uses of the substance or mixture and uses advised against:** Home Fragrance Reed Diffuser

**Company:**  
Trapp Fragrances  
1025 W. 8th Street  
Kansas City MO 64101  
800-670-4212  
[www.trappfragrances.com](http://www.trappfragrances.com)

**Emergency telephone number:** 800-424-9300 (CHEMTREC)

### SECTION II - HAZARDS IDENTIFICATION

ED12 Serious eye damage / eye irritation 2  
SS1 Sensitisation skin 1

H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P501 - Dispose of contents/container to an approved waste disposal plant

**Warning**



### SECTION III - INGREDIENT AND HAZARD INFORMATION

Material	C.A.S	EINECS	GHS Classification	Percent %
----------	-------	--------	--------------------	-----------

revised date: 07/10/2024      Trapp Reed Diffuser (#76 Watermint Eucalyptus)

Regulation    OSHA HCS 2012, 29 CFR 1910.120

DOWANOL DPMA	88917-22-0		FL4	[ 60-62 ]
3-METHOXY-3-METHYL-1-BUTANOL	56539-66-3		ATO5, EDI2A, FL4, SCI3 ; H227, H319	[ 12-14 ]
ISOPAR M	64742-47-8		AH1, EHA2, EHC2, STO-SE3-NE ; H304, H336	[ 6-8 ]
DIHYDRO MYRCENOL	18479-58-8		ATO5, EDI2, EHA3, FL4, SCI2, STO-SE3-NE ; H227, H315, H319, H336	[ 2-4 ]
BENZYL ACETATE	140-11-4		ATO5, EHA2, EHC3, FL4 ; H227	[ 2-4 ]
CYCLAMEN ALDEHYDE	103-95-7		ATO5, EHA2, EHC3, FL4, SCI2, SS1B ; H227, H315, H317	[ 2-4 ]
LINALYL ACETATE	115-95-7		EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315+H320, H317	[ 0-2 ]
PHENOXANOL	55066-48-3		ATD5, ATO4, EHA3, FL4 ; H227, H302	[ 0-2 ]
DIETHYL MALONATE	105-53-3		EDI2A, EHA3, FL4 ; H227, H319	[ 0-2 ]
ETHYL LINALOOL	10339-55-6		ATO5, EDI2, EHA3, FL4, SCI3, SS1B ; H227, H315, H317, H319	[ 0-2 ]
1,8-CINEOL	470-82-6		ATO5, EDI2B, EHA3, FL3, SS1B ; H226, H317, H320	[ 0-2 ]
METHYL CEDRYL KETONE	32388-55-9		ATO5, EHA1, EHC1, SS1B ; H317	[ 0-2 ]
FLORALOZONE	67634-15-5		EHA1, EHC2, SCI2, SS1B ; H315, H317	[ 0-2 ]
D-LIMONENE	5989-27-5		AH1, EHA1, EHC3, FL3, SCI2, SS1B ; H226, H304, H315, H317	[ 0-2 ]
CARVONE	99-49-0		ATD5, ATO5, EHA2, FL4, SS1B ; H227, H317	[ 0-2 ]
1-(2,6,6-TRIMETHYL-3-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE	57378-68-4		ATO4, EHA1, EHC1, FL4, SCI2, SS1A ; H227, H302, H315, H317	[ 0-2 ]

#### SECTION IV - FIRST AID MEASURES

##### **INHALATION**

In case of excessive inhalation, remove the person to fresh air.  
Obtain medical advice immediately.

##### **EYE CONTACT**

Flush immediately with water for at least 15 minutes.  
If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.

##### **SKIN CONTACT**

Remove contaminated clothing.  
Wash affected area thoroughly with soap and water.  
Get medical attention if irritation develops or persists.

##### **INGESTION**

Rinse mouth with water. Give up to ½ liter of milk or water to drink.  
Do not induce vomiting.  
Obtain medical advice immediately.

#### SECTION V - FIRE-FIGHTING MEASURES

##### **EXTINGUISHING MEDIA**

( ) Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

##### **FIRE FIGHTING INSTRUCTIONS**

Spray extinguishing media directly into base of flames.  
Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .  
Exercise caution when fighting any chemical fire.  
Treat as chemical fire, emits toxic fumes under fire condition .

## SECTION VI - ACCIDENTAL RELEASE MEASURES

### SPILL & LEAK PROCEDURES

Remove all sources of ignition. Provide proper ventilation.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

Wash area with soap and water.

## SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.

Avoid skin contact.

Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

### STORAGE

Keep containers tight and upright to prevent leakage.

Keep containers closed when not in use.

Do Not Store Over 140°F (60°C).

Keep from freezing. If frozen when received allow to reach room temperature and mix well before using:

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**VENTILATION:** Use local exhaust ventilation meeting ACGIH design criteria.

### PERSONAL PROTECTIVE EQUIPMENT

Oil or chemical resistant gloves.

Splash-resistant safety glasses.

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	NIOSH Exposure Limits
BENZYL ACETATE 140-11-4		10 ppm TWA	

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear

Color: Colorless

Odor: Characteristic

Physical State: Liquid

Vapor Density: Not Available

Vapor pressure : 0.161 mmHg @20°C

VOC : 17.483331 % (CARB Method 310)

Evaporation Rate: Not Available

Crystals (w/w%): 0.043

Specific Gravity @25°C:

Refractive Index @25°C: Not available

Flash point (°C): > 100

Flash point (°F): 212

## SECTION X - STABILITY AND REACTIVITY

This product is stable in most media.

### CONDITIONS TO AVOID

Avoid heat, sparks and flame.  
Avoid strong oxidizing agents.  
Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

## SECTION XI - TOXICOLOGICAL INFORMATION

### Acute Toxicity Estimate

LD50 Oral        : >5000 mg/kg 6 % unknown  
LD50 Dermal    : 2774 mg/kg 8 % unknown  
LD50 Inhalation : 8 mg/kg 10 % unknown

### Routes of Entry :

**Ingestion :** May be harmful if swallowed  
**Skin Contact:** May cause skin irritation  
**Eye Contact:** May cause eye irritation  
**Inhalation:** May cause respiratory tract irritation

### Target Organs:

None

## SECTION XII - ECOLOGICAL INFORMATION

Prevent contamination of soil, ground and surface water.  
No ecological studies have been carried out on this product.

## SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose of in accordance with State, Local and Federal Regulations.

## SECTION XIV - TRANSPORT INFORMATION

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT	Not regulated			
IATA	Not regulated			
IMDG	Not regulated			

revised date: 07/10/2024      Trapp Reed Diffuser (#76 Watermint Eucalyptus)

Regulation    OSHA HCS 2012, 29 CFR 1910.120

## SECTION XV - REGULATORY INFORMATION

**TSCA:** We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

**SARA 313:** This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

88917-22-0	DOWANOL DPMA	60.4967 %
1222-05-5	GALAXOLIDE 100% PURE	1.2 %
122-99-6	2-PHENOXYETHANOL	0.007 %
89-82-7	2-ISOPROPYLIDENE-5-MET	0.0051 %

## SECTION XVI - OTHER INFORMATION

The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.